babcock™

Environmental Monitoring for Radioactivity around Devonport Royal Dockyard

Annual Report

Jan-Dec 2022

5.0 DISCUSSION OF MARINE RESULTS

5.1 Whilst the DRDL marine environmental radioactivity monitoring programme focuses on the detection and measurement of Cobalt-60, the gamma spectrometry analyses of the sediment, seaweed, shellfish, fish and river water routinely search for the presence of other significant gamma emitting radionuclides. The only gamma emitting radionuclides detected in 2022 are those which occur naturally and trace levels of the fission product Caesium-137 mainly attributable to atmospheric weapons testing and the

11.0 GLOSSARY OF TERMS AND ABBREVIATIONS

Activity	Attribute of an amount of radionuclide. Describes the rate at which transformations occur in it ±each transformation being associated with the emission of radiation. Unit becquerel, symbol Bq (see below). 1Bq = 1 transformation per second.
Beta Particle	An energetic electron emitted by some radionuclides.
Bq	The unit of radioactivity is the becquerel (Bq). In this report, Cobalt-60 concentrations are expressed in terms of becquerel per kilogram of sample material ($Bqkg^{-1}$).
CEFAS	Centre for Environment, Fisheries and Aquaculture Science.
DRD	Devonport Royal Dockyard. (Note: The overall site at Devonport consists of two parts; the Naval Base and Devonport Royal Dockyard.)
DRDL	Devonport Royal Dockyard Limited.
Dose rate	The rate at which radiation dose is received.
Dstl	Defence Science and Technology Laboratory (Chemical, Biological and Radiological Division).
Effective dose	An indicator of the effects of radiation on the body as a whole when different body tissues are exposed to different amounts and types of radiation (measured in Sievert (see below)).
Electron	A negatively charged sub-atomic particle.
EPR 2016	Environmental Permitting (England and Wales) Regulations 2016.
Gamma Radiation	Electromagnetic radiation, without mass or charge, emitted by some radionuclides.
G	giga (10^9)
Gray (Gy)	Quantity of energy imparted by ionising radiation to unit mass of matter such as tissue. This quantity is the absorbed dose and the standard international (SI) unit for absorbed dose is the Gray. 1 Gy = 1 joule per kilogram.
ICRP	International Commission on Radiological Protection.
Limit of Detection	The limit at which it may be stated with a certain degree of statistical

Mussels are prepared and the flesh extracted as if for eating. Only the mussel flesh is analysed.

1.5 River Water

1 litre samples of river water are collected quarterly from the River Tamar at:

Royal Albert Bridge (East) Torpoint (South)

All intertidal survey points are shown in Map 1.

Marine environmental monitoring results for 2022

Table 2
Gamma radiation dose rates at 1 metre above inter-tidal sediment (μGyh^{-1})

Location [Point Number]	2022 Doserates (μGy/h)			
	January	April	July	November
Royal Albert Bridge (East) [1]	0.094	0.095	0.096	0.104
Thankes Park (Torpoint) [4]	0.098	0.090	0.097	0.094
Wearde Quay (Saltash) [5]	0.080	0.081	0.087	0.092
Slipway (Tamar Street) [6]	0.073	0.070	0.072	0.077
Royal Albert Bridge (West) [8]	0.088	0.084	0.087	0.090
Torpoint (South) [10]	0.103	0.098	0.091	0.106
Stonehouse [14]	0.069	0.061	0.065	0.069
Mount Gould [22]			0.090	
Mount Jessop [26]			0.104	
St Germans Quay [29]			0.088	
Bovisand Bay [30]			0.067	
Calstock [32]			0.115	
Bull Point [40]	0.087	0.086	0.091	0.082

Note

Table 7
Cobalt-60, Carbon-14 and Tritium in fish samples (2022)
(Bqkg^{-1} wet weight)

Fish Species	Cobalt-60	Carbon-14	Tritium
Limit of Detection[1] (Bqkg^{-1})	1	50	20
Pouting (8 Fish)	ND	15(8)	ND

Airborne environmental monitoring results for 2022

Table 9 Gamma spectrometry and Gross Beta high volume air sample results

Table 11

A Summary of the average concentrations of natural radioactivity found within the inter-tidal region in the UK.[(1)]

Material



(1) The discharge of effluent for 1987 was recorded from June 1987 to December 1987 (i.e. D I W H U ' 5 ' / Radioactive Substances Act Authorisation was issued).

(2) 3 U L R U W R R Q O \ J D P P D H P L W W L Q J U D G L R Q X F O L G H V Z H 5 D G L R Q X F O L G H V ¶) U R P R Q Z D U G V W K L V J U R X S L Q F O X G radionuclides.

(3) Carbon-14 was not L Q F O X G H G L Q W K H D F W L Y L W \ P H D V X U H P H Q W V 1999.

(4) Discharges of Tritium are presented in Graph 2.

(5) Annual discharge limits are given in Table 1.

Figure 1 ±Comparison of radiation doses